

Cameroon Quality Guaranteed Single-Fiber Bidirectional 40G



Overview

The YXF-QP-M85L-01D is a four-channel pluggable LC duplex QSFP+ fiber optic transceiver for 40 Gigabit Ethernet applications. 40GBASE-LR QSFP+ to LC Optical Gigabit Ethernet transceiver module, Single Mode, 1310nm, LC duplex connector, SMF, up to 10km. Wide Compatibility - Compatible for Cisco, Ubiquiti, D-Link, Supermicro, Netgear, TP- Link. Easy to Use - Easy installation, plug and play, fully hot-pluggable. Widely. BiDi transceiver, a compact optical transceiver with WDM (wavelength division multiplexing) technology and SFP multi-source protocol (MSA) compliance, allows fast data transmission using a single fiber optic for both sending and receiving signals, saving resources and cutting infrastructure costs. It enables 40GbE transmission with only two fibers, making it a practical alternative to QSFP-40G-SR4 in environments where fiber resources are limited or MPO. Combined with gray optical modules, it enables passive WDM dual-fiber to single-fiber bidirectional transmission. Singlemode Supports simultaneous transmission and reception over a single fiber using different wavelengths (1550nm). Peak isolation up to 50dB, min.



Article Content

SFP optical transceivers

This category includes all types of multi-rate SFP 155M to 4.25G transceivers over one strand of SMF, BiDirectional operation (two wavelengths on same fiber).

Fibre Optique

Achetez votre produit de qualité chez Nowtech à bon prix et bénéficiez d'une livraison à domicile avec garantie. Notre équipe d'assistance toujours à votre écoute! Paiement à la livraison Cameroun

40G QSFP+ SR BiDi VCSEL 850nm/900nm 150m

When upgrading the network architecture from 10G to 40G, it can directly utilize the existing LC duplex cabling infrastructure without the need for additional MPO

BiDi Single-Fiber Bidirectional Optical Module Details

The interface of optical module is mainly divided into single-fiber bidirectional BiDi, dual-fiber bidirectional (Deplx) and other types. In WDM system, the line transmission method mainly

QSFP 40G SR BD: 40G QSFP+ BiDi Transceiver Explained

Summary: QSFP-40G-SR-BD is a fiber-saving 40G solution that combines short-reach multimode operation with bidirectional signaling. It sits between traditional SR4 and LR4 modules, offering

The Ins and Outs of Bidirectional Fiber (BiDi) for 100G

Bidirectional Fiber (BiDi): Ins & Outs of Optics Standard fiber connections use two strands: one to transmit and one to receive. BiDi transceivers change the math by utilizing WDM

What type of cable is QSFP-40G-SR-BD□

Fiber Type: QSFP-40G-SR-BD is designed for use with duplex multimode fiber (MMF). The use of bidirectional optics allows for bidirectional communication over a single pair of fibers.

40G BiDi QSFP+: Single-fiber Bidirectional Transmission

The YXF-QP-M85L-01D is a four-channel pluggable LC duplex QSFP+ fiber optic transceiver for 40 Gigabit Ethernet applications. This transceiver is a high-performance module for

QSFP+ 40G Optical Transceivers,40G Fiber Optic Transceiver

40G QSFP+ BiDi optical transceiver module is a pluggable optical transceiver with a duplex LC connector interface for short-reach data communication and interconnect applications using Multi

GLC-BX40-U-I=: How Does Cisco's Bidirectional 40G SFP Solve Single ...

Having deployed 1,200+ GLC-BX40-U-I= units across 40G metro networks, its single-fiber efficiency and Cisco's DOM analytics consistently outperform Juniper QSFP-40G-BX80 in reliability.

40/100G 1550nm BiDi optical modules Transmission Optical

Dual-fiber LC to single-fiber bidirectional conversion, paired 1:1 with standard optical modules to achieve BiDi optical module single-fiber bidirectional transmission, saving construction costs and conserving

40GBASE-SR Bi-Directional QSFP+ 832nm

1.40G QSFP+ transceiver module is individually tested on corresponding equipment such as Cisco, Arista, Juniper, Dell, Brocade and other brands, and passes the monitoring of FS intelligent

Custom 40G QSFP+ and 50G SFP56/QSFP28 Modules

We highly recommend our 40G and 50G BiDirectional (BiDi) transceivers. They transmit and receive massive bandwidth over a single Simplex LC fiber strand, instantly doubling your existing fiber

Single Fiber vs Dual Fiber Transceivers Understanding

Single fiber transceivers, like the BiDi Transceiver, use one fiber for bidirectional data, while dual fiber transceivers require two fibers for separate TX

Cisco QSFP-40G-SR-BD Datasheet

Cisco QSFP-40G-SR-BD (40G BiDi) The Cisco QSFP 40-Gbps BiDirectional (BiDi) transceiver (Figure 1) is a pluggable optical transceiver with a duplex LC connector interface for short-reach data

40 Gigabit QSFP+ LC Single-Mode Transceiver, 40GBASE-LR4

desertcart ships the 40 Gigabit QSFP+ LC Single-Mode Transceiver, 40GBASE-LR4 Module for Cisco QSFP-40G-LR4, Ubiquiti, D-Link, Supermicro, Netgear, TP-Link (1310nm, SMF, 10km) to and more

Reduce fiber count for 10G backhaul traffic using QSFP+ 40G 40km

ProLabs' new QSFP+ 40G 40km 4x10G BiDi transceivers extend the life of legacy QSFP ports in the field while providing flexibility for service upgrades over existing fiber infrastructure. The

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://umele-pestovani.eu>

Email: info@umele-pestovani.eu

Phone: +49 152 287 6349

Address: Neue Mainzer Straße 66-68, 60311 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

