

## Switch with 2 optical module ports



### AI Overview

Switches with 2 optical module (SFP) ports provide flexible fiber connectivity alongside standard Ethernet ports, suitable for both industrial and commercial networks. Overview Switches with two SFP (Small Form-factor Pluggable) optical ports allow you to connect fiber optic cables for long-distance or high-speed network links while maintaining standard RJ45 Ethernet connections for local devices. These switches can be managed or unmanaged, depending on whether you need advanced features like VLANs, QoS, or port mirroring. Examples and Features Industrial Managed Switches UOTEK UT-6406GM: Offers 2 Gigabit optical fiber ports and 4 Gigabit Ethernet electrical ports. Supports Layer 2 features such as VLAN, IGMP-Snooping, QoS, STP/RSTP/MSTP, and ACL access control. Management options include Console, Telnet, Web, and SNMP, making it suitable for factory automation, intelligent transportation, and video surveillance networks. Desktop or Small Office Switches 10Gtek G0202-SFP: A 4-port desktop switch with 2 fiber ports (1000M) and 2 RJ45 ports (10/100/1000M). It uses a Marvel 88E6320 chip for stable, low-latency transmission and includes LED indicators for monitoring link status. Fibertronics ESW-2206: Features 2 SFP ports and 4 RJ45 ports, supporting dual optical SFP modules for Gigabit speeds. Compatible with both single-mode and multi-mode SFP modules, ideal for office or multi-floor building networks. Hybrid Fiber-Copper Switches 2 Fiber Ports & 8 UTP LAN Ports Switch: Combines 2 SFP fiber ports (1.25 Gbps) with 8 RJ45 UTP ports (10/100/1000 Mbps). Supports long-distance transmission using single-mode (up to 20 km) or multi-mode (up to 2 km) fiber modules. Functions as a fiber media converter for seamless integration of fiber and copper networks. Key Considerations SFP Module Compatibility: Choose single-mode SFPs for long-distance links and multi-mode SFPs for short indoor connections. Port Speed: Most switches support Gigabit speeds (1000 Mbps), but some may support 1...

## Article Content

This tender includes the .. Tender in Germany, 13641165|Tender Impulse

Bid for tender to This tender includes the supply of switches, SFP modules, fiber optic cables, and expansion modules in 16- and 8-port versions, as well as DIN rail-mounted power supplies with a

10/100M 2-port industrial Ethernet switch

Unmanaged industrial Ethernet fiber switch with 1\*10/100M RJ45 port and 1\*155M uplink SC fiber port (1310nm/20km single-mode dual fiber optical module). It can

H+S Polatis

Software Defined Networking enabled All Optical Switches. Industry leading performance - optical loss below 1dB. Customized MxN configurations up to 384x384 ports, SDN enabled with embedded

2X2 Optical Switch

2X2 Fiber Optical Switch connects optical channels by redirecting an incoming optical signal into a selected output fiber.The 2X2 Opto-Mechanical Optical Switches consists of 2 input and 2 output

Optic Modules Datasheet

Features and Benefits The following table lists the different pluggable optic modules and supported platforms, along with the technical specifications for each.

Fiber Optic Network Switches | Ethernet to Fiber

Our Ethernet network switches with fiber ports comes in managed or unmanaged formats combined with both Industrial and Commercial grades. Utilize our PoE

DwyerOmega | Shop for Sensing, Monitoring and Control Solutions

Explore DwyerOmega's comprehensive range of industrial sensing, monitoring, and control solutions from thermocouples to pressure transducers engineered for precision and reliability.

Networking Solutions for the Era of AI | NVIDIA

Technology The Innovations Defining NVIDIA AI Networking NVIDIA builds networking as part of an integrated AI platform—combining GPUs, SuperNIC™s, DPUs, switches, optics, and software into

Electronic Components and Parts Search | DigiKey

Search DigiKey's expansive product index to find detailed product information and pricing on millions of in-stock products. We get technical, so you can search with confidence!

Legrand AV | C2G | USB-C Docking Stations, HDMI, HDBaseT,

C2G54263 This plug-and-play device allows switching between two USB-C sources and two USB-C or USB-A devices. It supports USB 3.2 Gen 1 with data transfer rates up to 5 Gbps and is compatible

WORLD WIDE WEB JOURNAL Home

By clicking download, will open to start the export process. The process may take but once it finishes a file will be downloadable from your browser. You may continue to browse the DL while the export

TSW200 PoE+ Ethernet Switch

TSW200 is an industrial Ethernet switch with 2 SFP ports for long-range Fiber-optic communication and 8 Gigabit Ethernet ports that support IEEE802.af and

SFP Optical Transceiver | SFP Optical Module | Perle

They can be intermixed in combinations of 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-EX, 1000BASE-ZX, or 1000BASE-BX10-D/U on a port-by-port basis. Perle SFP Optical Transceivers are

IOGEAR | KVM Switches, USB Hubs, Docking Stations

USB-A Multiport Hub Add Four New Ports in an Instant. The GUH304C hub gives you four extra USB ports — including one super-fast USB-A 3.0, two USB-A 2.0, and one USB-C 2.0 — all from a single

2x2 Mechanical Optical Cross Switch - Optilab

The Optilab compact low noise 2x2 bidirectional optical cross switch module is a simple and reliable tool for engineering, laboratory, production settings and field applications. The two input optical signals of

AOC, DAC, Fiber Optic Transceivers | One-Stop Shop for Datacenter

Online shopping. w/24h-delivery, 7Days & Refund Guarantee. CE, RoHS and ISO9001 Certified. SFP+ Cables, QSFP+ Cables, MiniSAS Cables, XFP Cables, CX4 Cables and Fiber Optic Transceivers.

NVIDIA/Mellanox MMS4A00 Compatible 1.6T 2 x DR4/DR8 OSFP224

Overview The NVIDIA/Mellanox MMS4A00 compatible OSFP224 optical transceiver is a twin-port module designed for InfiniBand XDR network architectures. It delivers 1.6Tb/s aggregate bandwidth

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://umele-pestovani.eu>

Email: [info@umele-pestovani.eu](mailto:info@umele-pestovani.eu)

Phone: +49 152 287 6349

Address: Neue Mainzer Straße 66-68, 60311 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

