

Zambia Aggregation Switch QSFP-DD



Overview

A compact 1U 400G switch built for AI clusters, storage fabrics, and high-speed aggregation, featuring four 400G QSFP56-DD ports, dual 10 Gigabit Ethernet, and RouterOS v7. This guide provides a comprehensive overview of QSFP-DD compatible switches across major vendors, explains the fundamentals of backward compatibility at the port level, and outlines how to verify transceiver compatibility before procurement. With hot-swap power supplies, robust cooling, and low power consumption, it delivers ultra-high bandwidth, wire-speed. The QSFP-DD Series offers up to 400Gbps transmission speeds and features 1-by cages. 4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4 modulation, providing. QSFP-DD (quad small form-factor pluggable double density) doubles the capacity of QSFP interconnects with an eight-lane electrical interface capable of 28 Gbps NRZ, 56 Gbps PAM4, and 112 Gbps PAM4 to achieve up to 800 Gbps per port. 8mm pitch and a dual-mating interface. The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. This. This guide provides a clear, engineering-driven comparison of SFP vs.



Article Content

Specification Sheet DELL POWERSWITCH

The Z9332F-ON 100/400GbE fixed switch comprises Dell Technologies' latest disaggregated hardware and software data center networking solutions, providing state-of-the-art, high-density 100/400 GbE

MikroTik · CRS804 DDQ

A compact 1U 400G switch built for AI clusters, storage fabrics, and high-speed aggregation, featuring four 400G QSFP56-DD ports, dual 10 Gigabit Ethernet,

QSFP-DD Series

QSFP-DD can enable up to 14.4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4

2025 SFP vs QSFP Port on Switches: Key Differences, Benefits, Cases

Discover the differences between SFP and QSFP port on switch. Learn about speed, bandwidth, transmission distance to choose for your enterprise or data center.

Specification – QSFP-DD

August 7, 2020 – QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER – Rev 5.1 July 11, 2019 – QSFP-DD Hardware Specification for QSFP

Amphenol Commercial QSFP Double Density (DD) Interconnect System

Amphenol Commercial QSFP Double Density (DD) Interconnect System is backwards mating compatible with QSFP products. The connectors utilize an electrical interface with eight lanes

QSFPDD Datasheet (PDF)

BENEFITS -Enables 200G and 400G aggregate bandwidth per port -A single switch slot can have 36 ports QSFP DD -Allows for use of either QSFP or QSFP DD

QSFP28 modules

QSFP-DD builds on the existing QSFP physical form-factor to provide 50Gb/s bandwidth per channel using 4-level Pulse Amplitude Modulation (PAM4) technology. The Double-Density module and

QSFP-DD CONNECTORS & CABLE ASSEMBLIES PRODUCT

High Speed 400G Pluggable I/O Solutions TE Connectivity's (TE) QSFP-DD (quad small form-factor pluggable double density) doubles the density of QSFP interconnects with an eight-lane electrical

QSFP-DD MSA Group Releases Preliminary QSFP-DD Hardware Specification

This can enable 36 QSFP-DD modules providing up to 14.4 Terabits per second (Tbps) aggregate capacity in a single switch slot to address rapid datacenter traffic growth.

400G QSFP-DD ZR+ Coherent Modules | GIGALIGHT

1 General The QSFP-DD coherent optical module uses a 76-pin connector as an electrical interface to connect the system board. The module comprises TX unit, RX unit and control units. All control

QSFP Cables Explained 2025: Types, DAC vs AOC, and DC Use Cases

Learn about QSFP cables: QSFP+, QSFP28, QSFP56, QSFP-DD. Compare DAC vs AOC, speeds, lengths, and use cases in data centers. Includes compatibility and tips.

SFP vs. QSFP: Differences, Use Cases, and How to Choose

The core difference between SFP and QSFP is lane count: SFP is a single-lane form factor (1G–25G), while QSFP aggregates 4 (or more) lanes to reach 40G, 100G, 200G and 400G (QSFP-DD). Choose

The Ultimate Guide to QSFP28-DD: Features, Benefits, and Applications

Discover QSFP28-DD (200G/400G) modules: features, benefits, and applications in data centers, AI/HPC, and telecom. Compare and learn how to choose the right.

LANCOM XS-6128QF: LANCOM Systems GmbH

Enormous backhaul capacity is available via either 2 QSFP+ (40G) or 4 SFP28 (25G) high-speed uplink Flex ports. Non-blocking backplane stacking via 4 SFP

QSFP-DD Product Family » Acacia

Quad Small Form-factor Pluggable Double Density (QSFP-DD) solution that fits into high-density switch and router client ports for optical interconnect links

Dell PowerSwitch Z9432F-ON

High-performance, high-density open networking 400GbE multi-rate aggregation switch The Z9432F-ON 100/400GbE fixed switch comprises Dell Technologies' latest disaggregated hardware and software

Dell PowerSwitch Z9432F-ON

The compact PowerSwitch Z9432F-ON provides industry-leading density of either 32 ports of 400GbE in QSFP56-DD form factor or 128 ports of 100 or up to 144 ports of 10/25/50 (via breakout), in a 1RU

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://umele-pestovani.eu>

Email: info@umele-pestovani.eu

Phone: +49 152 287 6349

Address: Neue Mainzer Straße 66-68, 60311 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

